

ORDINANCE NO. 2016-2202

**AN ORDINANCE AMENDING CHAPTER 2.60, ENTITLED “WATER DEPARTMENT”, OF TITLE 2, ENTITLED “ADMINISTRATION AND PERSONNEL”, OF THE WESTCHESTER MUNICIPAL CODE**

**WHEREAS**, the corporate authorities of the Village of Westchester (“Village”) deem it in the best interest of the Village to amend Chapter 2.60, entitled “Water Department”, of Title 2, entitled “Administration and Personnel”, of the Westchester Municipal Code by amending Section 2.60.200, entitled “Connections – Materials”, in order to bring the Village Code into compliance with the 2014 Illinois Plumbing Code, which was adopted by the Village in May 2015, with regards to the use of lead materials in the water service infrastructure.

**NOW, THEREFORE, BE IT ORDAINED**, by the President and Board of Trustees of the Village of Westchester, Cook County, Illinois, as follows:

**Section 1.** Section 2.60.200, entitled “Connections - Materials”, of Chapter 2.60, entitled "Water Department", of Title 2, entitled “Administration and Personnel”, of the Westchester Municipal Code is hereby amended as follows:

**2.60.200 – Connections - Materials.**

- (a) The connections from the main to the service curb stop (valve) shall be placed at least five feet six inches below the level of the ground, and the copper pipe shall be laid sufficiently waving so that it shall be at least one foot longer than if laid straight and shall be placed in such manner as to prevent rupture or breakage from settling of the ground.
- (b) The service pipe shall be the following size: For water services two (2”) inches and smaller, all tubing shall be type K soft temper copper conforming to ASTM B 88 and in accordance with the Village of Westchester and State of Illinois plumbing code construction and materials specifications for domestic water services. Material dimensions shall be Copper Tubing Size (CTS). For services greater than two (2”) inches, an approved ductile iron pipe shall be used. The ductile iron pipe shall be water main class and quality pressure rated pipe and gaskets.
- (c) A valve, to be known as the “curb stop”, shall be inserted in each connection at a location in the public right of way through which such connection passes, and whenever there are curb lines established, the valve shall be placed one foot inside of

such curb line with cast-iron stop box grade. In all cases it shall be located under the direction of the Public Works Department.


- (d) For plumbing work beyond the curb stop to the water meter, copper pipe shall be used of the kind and quality hereinbefore specified in paragraph (b) this Section.
- (e) All curb stop used in connection with the waterworks system shall be pre-approved and made of lead free brass, and shall conform with the Village of Westchester and State of Illinois plumbing code construction and materials specifications for domestic water services. They shall be water main class and quality pressure rated devices.

**Section 2.** This Ordinance shall be in full force and effect upon its passage and approval as provided by law.


**ADOPTED** this 13<sup>th</sup> day of September, 2016, pursuant to a roll call vote as follows:

Angelo A. Calcagno	<u>Aye</u>	Celestine Reda	<u>Absent</u>
Carl C. Celestino	<u>Aye</u>	Nick Steker	<u>Aye</u>
Frank Perry	<u>Aye</u>	Tom Yurkovich	<u>Aye</u>
		President Pulia	<u>Absent</u>

**APPROVED** this 13<sup>th</sup> day of September, 2016.

  
\_\_\_\_\_  
Village President-Pro Tem

ATTEST:

  
\_\_\_\_\_  
Sherby J. Miller, Village Clerk